

SIMPLICITY 35

The Simplicity 35 is an extremely versatile structure that can provide weather protection to garden parties and family gatherings as well as a sheltered place to enjoy some relaxing down time in your own private outdoor space.

Projection	Up to 6m
Length	Unlimited
Post Spacings*	3.5m Maximum
Roof Bar Spacings**	Max 1250mm
Inset Posts	Up to 500mm at each end
Min Pitch	2.5 degrees
Max Pitch	45 degrees
Roof Sheet Options	35mm Clear Poly 35mm Bronze Poly 35mm Opal Poly 35mm HeatShield Poly 35mm Bronze/Opal Poly

* Post spacings will vary on projection.

** Bar spacings will vary depending on the projection.



Standard Colours



RAL 7016
Anthracite Grey
Fine Textured



RAL 9016
White
Semi-Gloss



Features & Benefits

35mm Structured Polycarbonate Panels with Block Edge Finish:

Available in Clear, Bronze, Opal, or Bronze Opal as Standard with an optional upgrade for 35mm Heatshield.

- Highly robust – Naturally strong with high impact resistance
- UV Resistance – Minimal long-term yellowing while offering natural lighting
- Lightweight – Sheet weight just 7 kg/m²
- Heat Reflecting Properties – Reduces solar gain by up to 50%
- Fire Performance – BS476: Part 7: CLASS 1Y
- 10 year warranty – For peace of mind on your projects

When measured, light transmission is the percentage of light passing through glass or other materials such as polycarbonate reducing heat depending on the application.

Colour	Clear	Bronze Tint	Opal Tint	HeatShield (EG)
Light Transmission	77% LF	18% LF	42% LF	20% LF
Heat Transmission	73% SF	44% SF	47% SF	19% SF

Victorian Upgrade:

The Simplicity 35 is available with the Victorian Upgrade. This enhances your structure with a decorative design, perfect for traditional buildings.

Integral Aluminium Guttering:

Creates a sleek, modern design which is stronger than external guttering systems and saves time on installation.

Low Maintenance:

No need for repainting throughout the life of the veranda, a simple clean and removal of debris from the integral gutter is all that's required.

Full 10 Year Guarantee:

The Simplicity 6 is supplied with a full 10 year guarantee and a 60 year life expectancy for the canopy frame.




Victorian Option



LED Lighting



Glass Sliding Doors



Infrared Heaters


Upgrades

- **Infrared Heaters** (Silver, Rose Gold and Black)
- **LED Strip lighting** in the Main Bars and Gutter
- **Victorian Upgrades** – Gallows Brackets and Base Castings for that Victorian look – used only with the 75 x 70 posts
- **Glass Sliding Doors and Fixed Frames** – Create a Glass Room with sliding Doors and Fixed Frames
- **NEW Shading** - Manual Under Blind or Electric Roller Blind available
- **NEW Privacy Screens** - Our 240mm Interlocking Boards can create a cost-effective privacy solution


Technical Drawings

PRODUCT DETAIL



Wall Plate & Roof Bar Section




Roof Bar & Sheet Section



Base & Post Connection Information



Eaves Beam Roof Bar & Post Section



Material List & Component Information

1. The canopy wall plate is an extruded aluminium profile which fixes to the wall or steel bracket.
2. This canopy uses 35mm polycarbonate clear roofing panels with tinted or coloured options available as upgrades.
3. This canopy made with a T6 grade structural aluminium frame.
4. The frame of the canopy is made from aluminium profiles with 80x80mm posts. The frame is powder coated.

Please note: This is a standardised product data sheet and is subject to change depending on individual cases, or site specific surveys. Specific drawings are available upon request or on receipt of an order.