SIMPLICITY FREE

The Simplicity Free system has been created with contemporary design, flawless functionality, and ease-of-installation in mind. Named for its free-standing option, the Sim Free delivers maximum versatility to homeowners. This stylish system is constructed from aluminium, with sturdy steel plates used internally for ultra-firm installation.

| Projection | Up to 4m |
|---------------------|---|
| Length | Unlimited |
| Post Spacings* | 4m Maximum |
| Roof Bar Spacings** | Max 800mm |
| Inset Posts | N/A |
| Roof Sheet Options | 6mm Clear Glass Standard 6mm Grey Tinted Antisun 6mm Bronze Tinted Antisun 6mm Green Tinted Antisun 6mm Blue Tinted Antisun |



Standard Colours





RAL 7016 Anthracite Grey **Fine Textured**

RAL 9005 Jet Black Fine Textured

* Post spacings will vary on projection. ** Bar spacings will vary depending on the projection.



Features & Benefits 🖒

Glazing Options:

6mm Toughened Glass is toughened during manufacturing and achieves Class 1 BS EN 12600 for impact performance.

UV Activated Self Cleaning Glass - These glass roof sheets have a UV activated special coating that is applied during manufacture that breaks down organic dirt which is then washed away by the rain. A minimum pitch of 10° is required for Self-Cleaning Glass.

Solar Panel glass has many benefits and is especially useful for outdoor living in a warmer and sunnier climate. It offers your customers additional protection from the elements as it can withstand high temperatures and direct sunlight. Not only will tinted glass cool the space underneath but it will also provide a range of health benefits to its users, including protection against ultraviolet rays.

| Glazing Options | Clear | Grey Tint | Bronze Tint | Green Tint | Blue Tint |
|-----------------------|--------|--------------|----------------|---------------|--------------|
| Light Transmission | 88% LF | 44% LF | 50% LF | 73% LF | 57% LF |
| Heat Transmission | 82% SF | 58% SF | 60% SF | 57% SF | 57% SF |

Integral Aluminium Guttering:

Supplied with integrated aluminium guttering and uPVC downpipes for a sleek, modern design which is stronger than external guttering systems and requires much less maintenance.

Low Maintenance:

No need for repainting throughout the life of the veranda, a simple clean and removal of debris from the integral gutter is all that's required.

Full 10 Year Guarantee:

The Simplicity 6 is supplied with a full 10 year guarantee and a 60 year life expectancy for the canopy frame.



Spot Lights



Glass Sliding Doors



Infrared Heaters




Shading & Privacy Screens


Upgrades 🛈


- Infrared Heaters (Silver, Rose Gold and Black)
- Spot Lights in the Main Bars
- Glass Sliding Doors and Fixed Frames

 Create a Glass Room with sliding Doors and Fixed Frames
- NEW Shading Manual Under Blind or Electric Roller Blind available
- NEW Privacy Screens Our 240mm Interlocking Boards can create a cost-effective privacy solution

Technical Drawings 🖻









Material List & Component Information

- The veranda wall plate is an extruded aluminium profile which fixes to the wall or steel bracket.
- 2. This veranda is available with 6mm Clear Toughened Glass, with tinted or coloured options available as upgrades.
- 3. This veranda uses our gasketed 6mm glass roof system, which is constructed from T6 grade structural aluminium frame.
- 4. The frame of the veranda is made from aluminium profiles with 150x150mm posts. The frame is powder-coated with two colours available as standard.

Please note: This is a standardised product data sheet and is subject to change depending on individual cases, or site specific surveys. Specific drawings are available upon request or on receipt of an order.